

The following Listing of the Claims will replace all prior versions and all prior listings of the Claims in the present application:

Listing of The Claims:

1. (Currently Amended): An isolated Tumstatin fragment comprising amino acid residues 77-95 of SEQ ID NO:10, and having the ability to inhibit tumor growth.
2. (Currently Amended): An [The] isolated polypeptide having the amino acid sequence of [fragment of Claim 1, wherein the fragment is] SEQ ID NO:37.
3. (Original) The isolated fragment of Claim 1, wherein the fragment is reduced.
4. (Original) The isolated fragment of Claim 1, wherein the fragment is alkylated.
5. (Original) The isolated fragment of Claim 1, wherein the fragment is oxidized.
6. (Currently Amended) An isolated mutated fragment comprising amino acid residues 77-95 of SEQ ID NO:10, wherein one or more, and five or fewer, amino acids have been substituted, and wherein the mutated fragment has the ability to inhibit tumor growth.
7. (Original) The isolated mutated fragment of Claim 6, wherein the fragment is reduced.
8. (Original) The isolated mutated fragment of Claim 6, wherein the fragment is alkylated.
9. (Original) The isolated mutated fragment of Claim 6, wherein the fragment is oxidized.
10. (Currently Amended) The isolated fragment of Claim 1 [6], wherein the fragment is SEQ ID NO:38.
11. (Currently Amended) The isolated fragment of Claim 1 [6], wherein the fragment is SEQ ID NO:39.
12. (Currently Amended) The isolated fragment of Claim 1 [6], wherein the fragment is SEQ ID NO:40.

13. (Currently Amended) The isolated fragment of Claim 1 [6], wherein the fragment is SEQ ID NO:41.
14. (Currently Amended) The isolated fragment of Claim 1 [6], wherein the fragment is SEQ ID NO:42.
15. (Currently Amended) An isolated Tumstatin fragment comprising amino acid residues 77-95 fragment of SEQ ID NO:10, and having the ability to inhibit angiogenesis.
16. (Original) The isolated fragment of Claim 15, wherein the fragment is SEQ ID NO:37.
17. (Original) The isolated fragment of Claim 15, wherein the fragment is reduced.
18. (Original) The isolated fragment of Claim 15, wherein the fragment is alkylated.
19. (Original) The isolated fragment of Claim 15, wherein the fragment is oxidized.
20. (Currently Amended) An isolated mutated fragment comprising amino acid residues 77-95 of SEQ ID NO:10, wherein one or more, and five or fewer, amino acids have been substituted, and wherein the mutated fragment has the ability to inhibit angiogenic activity.
21. (Original) The isolated mutated fragment of Claim 20, wherein the fragment is reduced.
22. (Original) The isolated mutated fragment of Claim 20, wherein the fragment is alkylated.
23. (Original) The isolated mutated fragment of Claim 20, wherein the fragment is oxidized.
24. (Original) The isolated fragment of Claim 20, wherein the fragment is SEQ ID NO:38.
25. (Original) The isolated fragment of Claim 20, wherein the fragment is SEQ ID NO:39.
26. (Original) The isolated fragment of Claim 20, wherein the fragment is SEQ ID NO:40.
27. (Original) The isolated fragment of Claim 20, wherein the fragment is SEQ ID NO:41.
28. (Original) The isolated fragment of Claim 20, wherein the fragment is SEQ ID NO:42.

29. (Currently Amended): An isolated Tumstatin fragment comprising amino acid residues 77-95 of SEQ ID NO:10, and having the ability to inhibit protein synthesis in endothelial cells.
30. (Original) The isolated fragment of Claim 29, wherein the fragment is SEQ ID NO:37.
31. (Original) The isolated fragment of Claim 29, wherein the fragment is reduced.
32. (Original) The isolated fragment of Claim 29, wherein the fragment is alkylated.
33. (Original) The isolated fragment of Claim 29, wherein the fragment is oxidized.
34. (Currently Amended) An isolated mutated fragment comprising amino acid residues 77-95 of SEQ ID NO:10, wherein one or more, and five or fewer, amino acids have been substituted, and wherein the mutated fragment has the ability to inhibit protein synthesis in endothelial cells.
35. (Original) The isolated mutated fragment of Claim 34, wherein the fragment is reduced.
36. (Original) The isolated mutated fragment of Claim 34, wherein the fragment is alkylated.
37. (Original) The isolated mutated fragment of Claim 34, wherein the fragment is oxidized.
38. (Original) The isolated fragment of Claim 34, wherein the fragment is SEQ ID NO:38.
39. (Original) The isolated fragment of Claim 34, wherein the fragment is SEQ ID NO:39.
40. (Original) The isolated fragment of Claim 34, wherein the fragment is SEQ ID NO:40.
41. (Original) The isolated fragment of Claim 34, wherein the fragment is SEQ ID NO:41.
42. (Original) The isolated fragment of Claim 34, wherein the fragment is SEQ ID NO:42.
43. (Withdrawn) A method for inhibiting tumor growth in mammalian tissue, the method comprising contacting the tissue with a composition comprising an isolated fragment selected from the group consisting of: (a) SEQ ID NO:10; (b) amino acid 2 through amino acid 245 of SEQ ID NO:10; (c) SEQ ID NO:19; (d) amino acid 1 through amino

acid 125 of SEQ ID NO:10; (e) SEQ ID NO:20; (f) SEQ ID NO:21; (g) SEQ ID NO:22; (h) SEQ ID NO:23; (i) SEQ ID NO:25; (j) SEQ ID NO:26; (k) SEQ ID NO:29; (l) SEQ ID NO:30; (m) SEQ ID NO:33; (n) SEQ ID NO:34; (o) SEQ ID NO:37; (p) SEQ ID NO:38; (q) SEQ ID NO:39; (r) SEQ ID NO:40; (s) SEQ ID NO:41; and (t) SEQ ID NO:42.

44. (Withdrawn) The method of Claim 43, wherein the fragment is reduced.
45. (Withdrawn) The method of Claim 43, wherein the fragment is alkylated.
46. (Withdrawn) The method of Claim 43, wherein the fragment is oxidized.
47. (Withdrawn) The method of Claim 43, wherein one or more of the cysteine residues have been substituted for another amino acid.
48. (Withdrawn) A method for inhibiting angiogenic activity in mammalian tissue, the method comprising contacting the tissue with a composition comprising an isolated fragment selected from the group consisting of: (a) SEQ ID NO:10; (b) amino acid 2 through amino acid 245 of SEQ ID NO:10; (c) SEQ ID NO:19; (d) amino acid 1 through amino acid 125 of SEQ ID NO:10; (e) SEQ ID NO:20; (f) SEQ ID NO:21; (g) SEQ ID NO:22; (h) SEQ ID NO:23; (i) SEQ ID NO:25; (j) SEQ ID NO:26; (k) SEQ ID NO:29; (l) SEQ ID NO:30; (m) SEQ ID NO:33; (n) SEQ ID NO:34; (o) SEQ ID NO:37; (p) SEQ ID NO:38; (q) SEQ ID NO:39; (r) SEQ ID NO:40; (s) SEQ ID NO:41; and (t) SEQ ID NO:42.
49. (Withdrawn) A method for inhibiting protein synthesis in one or more mammalian cells, the method comprising contacting the one or more cells with a composition comprising an isolated fragment selected from the group consisting of: (a) SEQ ID NO:10; (b) amino acid 2 through amino acid 245 of SEQ ID NO:10; (c) SEQ ID NO:19; (d) amino acid 1 through amino acid 125 of SEQ ID NO:10; (e) SEQ ID NO:20; (f) SEQ ID NO:21; (g) SEQ ID NO:22; (h) SEQ ID NO:23; (i) SEQ ID NO:25; (j) SEQ ID NO:26; (k) SEQ ID NO:29; (l) SEQ ID NO:30; (m) SEQ ID NO:33; (n) SEQ ID NO:34; (o) SEQ ID NO:37; (p) SEQ ID NO:38; (q) SEQ ID NO:39; (r) SEQ ID NO:40; (s) SEQ ID NO:41; and (t) SEQ ID NO:42.

50. (Withdrawn) A method for inhibiting protein synthesis in one or more mammalian cells, the method comprising contacting the one or more cells with a composition comprising an isolated fragment selected from the group consisting of: (a) SEQ ID NO:2; (b) SEQ ID NO:6; and (c) SEQ ID NO:10.
51. (Original) The isolated fragment of Claim 29, wherein the protein synthesis is cap-dependent protein synthesis.
52. (Withdrawn) The method of Claim 49, wherein the protein synthesis is cap-dependent protein synthesis.
53. (Withdrawn) The method of Claim 50, wherein the protein synthesis is cap-dependent protein synthesis.
54. (Original) The isolated fragment of Claim 29, wherein the endothelial cells express the $\alpha_v\beta_3$ integrin.
55. (Withdrawn) The method of Claim 49, wherein the mammalian cells express the $\alpha_v\beta_3$ integrin.
56. (Withdrawn) The method of Claim 50, wherein the mammalian cells express the $\alpha_v\beta_3$ integrin.
57. (Withdrawn) An isolated peptide of the formula: $R^1X^1LFX^2NVNX^3V-X^4NFR^2$ (SEQ ID NO:45), wherein R^1 is hydrogen or a peptidyl chain of 1 to 17 amino acids, R^2 is hydrogen or a peptidyl chain of 1 to 12 amino acids, and X^1 , X^2 and X^3 are individually an amino acid, and wherein said peptide inhibits tumor growth.
58. (Withdrawn) The isolated peptide of Claim 57, wherein X^1 is an amino acid with a basic side chain or an amino acid with an aromatic side chain.
59. (Withdrawn) The isolated peptide of Claim 58, wherein X^1 is phenylalanine, tyrosine, tryptophan, lysine, arginine, histidine, glutamine or asparagine.
60. (Withdrawn) The isolated peptide of Claim 59, wherein X^1 is lysine or phenylalanine.

61. (Withdrawn) The isolated peptide of Claim 57, wherein X^2 , X^3 and X^4 are independently an amino acid with a hydrophilic side chain or an amino acid with a basic side chain.
62. (Withdrawn) The isolated peptide of Claim 61, wherein X^2 , X^3 and X^4 are independently cysteine, serine, threonine, aspartic acid or glutamine.
63. (Withdrawn) The isolated peptide of Claim 62, wherein X^2 and X^4 are independently cysteine, serine or aspartic acid and X^3 is cysteine or aspartic acid.
64. (Withdrawn) The isolated peptide of Claim 57, wherein X^1 is phenylalanine, tyrosine, tryptophan, lysine, arginine, histidine, glutamine or asparagine and X^2 , X^3 and X^4 are independently cysteine, serine, threonine, aspartic acid or glutamine.
65. (Withdrawn) The isolated peptide of Claim 57, wherein R^1 is one amino acid or a peptidyl chain of 2, 3, 4, 5, 6, 7, or 8 amino acid residues.
66. (Withdrawn) The isolated peptide of Claim 65, wherein said amino acid or peptidyl chain represented by R^1 is selected from the group consisting of: (a) P; (b) MP; (c) TMP; (d) TTMP (SEQ ID NO:46); (e) FTTMP (SEQ ID NO:47); (f) RFTTMP (SEQ ID NO:48); (g) QRFTTMP (SEQ ID NO:49); (h) LQRFTTMP (SEQ ID NO:50); (i) KQRFTTMP (SEQ ID NO:51); and (j) a conservative variant of any of (a)-(i).
67. (Withdrawn) The isolated peptide of Claim 57, wherein R^2 is one amino acid or a peptidyl chain of 2, 3, 4, 5, 6, 7, 8 or 9 amino acid residues.
68. (Withdrawn) The isolated peptide of Claim 67, wherein said amino acid or peptidyl chain represented by R^2 is selected from the group consisting of: (a) A; (b) AS; (c) ASR; (d) ASRN (SEQ ID NO:52); (e) ASRND (SEQ ID NO:53); (f) ASRNDY (SEQ ID NO:54); (g) ASRNDYS (SEQ ID NO:55); (h) ASRNDYSY (SEQ ID NO:56); (i) ASRNDYSYW (SEQ ID NO:57); (j) ASRNDYSYWL (SEQ ID NO:58); and (k) a conservative variant of any of (a)-(j).
69. (Withdrawn) The isolated peptide of Claim 57, wherein the peptide is reduced.
70. (Withdrawn) The isolated peptide of Claim 57, wherein the peptide is alkylated.

71. (Withdrawn) The isolated peptide of Claim 57, wherein the peptide is oxidized.
72. (Withdrawn) An isolated peptide of the formula: $R^1X^1LFX^2NVNX^3V-XNFR^2$ (SEQ ID NO:45), wherein R^1 is hydrogen or a peptidyl chain of 1 to 17 amino acids, R^2 is hydrogen or a peptidyl chain of 1 to 12 amino acids, and X^1 , X^2 and X^3 are individually an amino acid, and wherein said peptide inhibits angiogenic activity in mammalian tissue.
73. (Withdrawn) The isolated peptide of Claim 72, wherein X^1 is an amino acid with a basic side chain or an amino acid with an aromatic side chain.
74. (Withdrawn) The isolated peptide of Claim 73, wherein X^1 is phenylalanine, tyrosine, tryptophan, lysine, arginine, histidine, glutamine or asparagine.
75. (Withdrawn) The isolated peptide of Claim 74, wherein X^1 is lysine or phenylalanine.
76. (Withdrawn) The isolated peptide of Claim 72, wherein X^2 , X^3 and X^4 are independently an amino acid with a hydrophilic side chain or an amino acid with a basic side chain.
77. (Withdrawn) The isolated peptide of Claim 76, wherein X^2 , X^3 and X^4 are independently cysteine, serine, threonine, aspartic acid or glutamine.
78. (Withdrawn) The isolated peptide of Claim 77, wherein X^2 and X^4 are independently cysteine, serine or aspartic acid and X^3 is cysteine or aspartic acid.
79. (Withdrawn) The isolated peptide of Claim 72, wherein X^1 is phenylalanine, tyrosine, tryptophan, lysine, arginine, histidine, glutamine or asparagine and X^2 , X^3 and X^4 are independently cysteine, serine, threonine, aspartic acid or glutamine.
80. (Withdrawn) The isolated peptide of Claim 72, wherein R^1 is one amino acid or a peptidyl chain of 2, 3, 4, 5, 6, 7, or 8 amino acid residues.
81. (Withdrawn) The isolated peptide of Claim 80, wherein said amino acid or peptidyl chain represented by R^1 is selected from the group consisting of: (a) P; (b) MP; (c) TMP; (d) TTMP (SEQ ID NO:46); (e) FTTMP (SEQ ID NO:47); (f) RFTTMP (SEQ ID

- NO:48); (g) QRFTTMP (SEQ ID NO:49); (h) LQRFTTMP (SEQ ID NO:50); (i) KQRFTTMP (SEQ ID NO:51); and (j) conservative variant of any of (a)-(i).
82. (Withdrawn) The isolated peptide of Claim 72, wherein R is one amino acid or a peptidyl chain of 2, 3, 4, 5, 6, 7, 8 or 9 amino acid residues.
83. (Withdrawn) The isolated peptide of Claim 82, wherein said amino acid or peptidyl chain represented by R² is selected from the group consisting of: (a) A; (b) AS; (c) ASR; (d) ASRN (SEQ ID NO:52); (e) ASRND (SEQ ID NO:53); (f) ASRNDY (SEQ ID NO:54); (g) ASRNDYS (SEQ ID NO:55); (h) ASRNDYSY (SEQ ID NO:56); (i) ASRNDYSYW (SEQ ID NO:57); (j) ASRNDYSYWL (SEQ ID NO:58); and (k) a conservative variant of any of (a)-(j).
84. (Withdrawn) The isolated peptide of Claim 72, wherein the peptide is reduced.
85. (Withdrawn) The isolated peptide of Claim 72, wherein the peptide is alkylated.
86. (Withdrawn) The isolated peptide of Claim 72, wherein the peptide is oxidized.
87. (Withdrawn) An isolated peptide of the formula: R¹X¹LFX²NVNX³V- X⁴NFR² (SEQ ID NO:45), wherein R¹ is hydrogen or a peptidyl chain of 1 to 17 amino acids, R² is hydrogen or a peptidyl chain of 1 to 12 amino acids, and X¹, X² and X³ are individually an amino acid, and wherein said peptide inhibits protein synthesis in endothelial cells.
88. (Withdrawn) The isolated peptide of Claim 87, wherein X¹ is an amino acid with a basic side chain or an amino acid with an aromatic side chain.
89. (Withdrawn) The isolated peptide of Claim 88, wherein X¹ is phenylalanine, tyrosine, tryptophan, lysine, arginine, histidine, glutamine or asparagine.
90. (Withdrawn) The isolated peptide of Claim 89, wherein X¹ is lysine or phenylalanine.
91. (Withdrawn) The isolated peptide of Claim 87, wherein X², X³ and X⁴ are independently an amino acid with a hydrophilic side chain or an amino acid with a basic side chain.

92. (Withdrawn) The isolated peptide of Claim 91, wherein X^2 , X^3 and X^4 are independently cysteine, serine, threonine, aspartic acid or glutamine.
93. (Withdrawn) The isolated peptide of Claim 92, wherein X^2 and X^4 are independently cysteine, serine or aspartic acid and X^3 is cysteine or aspartic acid.
94. (Withdrawn) The isolated peptide of Claim 87, wherein X^1 is phenylalanine, tyrosine, tryptophan, lysine, arginine, histidine, glutamine or asparagine and X^2 , X^3 and X^4 are independently cysteine, serine, threonine, aspartic acid or glutamine.
95. (Withdrawn) The isolated peptide of Claim 87, wherein $R^{sup.1}$ is one amino acid or a peptidyl chain of 2, 3, 4, 5, 6, 7, or 8 amino acid residues.
96. (Withdrawn) The isolated peptide of Claim 95, wherein said amino acid or peptidyl chain represented by R^1 is selected from the group consisting of: (a) P; (b) MP; (c) TMP; (d) TTMP (SEQ ID NO:46); (e) FTTMP (SEQ ID NO:47); (f) RFTTMP (SEQ ID NO:48); (g) QRFTTMP (SEQ ID NO:49); (h) LQRFTTMP (SEQ ID NO:50); (i) KQRFTTMP (SEQ ID NO:51); and (j) a conservative variant of any of (a)-(i).
97. (Withdrawn) The isolated peptide of Claim 87, wherein R^2 is one amino acid or a peptidyl chain of 2, 3, 4, 5, 6, 7, 8 or 9 amino acid residues.
98. (Withdrawn) The isolated peptide of Claim 97, wherein said amino acid or peptidyl chain represented by R^2 is selected from the group consisting of: (a) A; (b) AS; (c) ASR; (d) ASRN (SEQ ID NO:52); (e) ASRND (SEQ ID NO:53); (f) ASRNDY (SEQ ID NO:54); (g) ASRNDYS (SEQ ID NO:55); (h) ASRNDYSY (SEQ ID NO:56); (i) ASRNDYSYW (SEQ ID NO:57); (j) ASRNDYSYWL (SEQ ID NO:58); and (k) a conservative variant of any of (a)-(j).
99. (Withdrawn) The isolated peptide of Claim 87, wherein the peptide is reduced.
100. (Withdrawn) The isolated peptide of Claim 87, wherein the peptide is alkylated.
101. (Withdrawn) The isolated peptide of Claim 87, wherein the peptide is oxidized.

102. (Withdrawn) A method for inhibiting tumor growth in mammalian tissue, the method comprising contacting the tissue with a composition comprising the isolated peptide of Claim 57.
103. (Withdrawn) A method for inhibiting angiogenic activity in mammalian tissue, the method comprising contacting the tissue with a composition comprising the isolated peptide of Claim 72.
104. (Withdrawn) A method for inhibiting protein synthesis in one or more mammalian cells, the method comprising contacting the one or more cells with a composition comprising the isolated peptide of Claim 87.
105. (Withdrawn) The isolated peptide of Claim 57, combined with a pharmaceutically-acceptable carrier.
106. (Withdrawn) The isolated peptide of Claim 72, combined with a pharmaceutically-acceptable carrier.
107. (Withdrawn) The isolated peptide of Claim 87, combined with a pharmaceutically-acceptable carrier.